



## Begonia

Recommended pot

Qt to 6 inch/ 12 to 15 cm

Heat Tolerance

Good

Exposer

Sun to Partial Shade

	pH	Ec	Min Temp F	Max Temp F	Min TEMP C	Max TEMP C	Pinch	Feed	Light	PGR	Fungicide	Comments
<b>Rooting</b>												
Week 1 sticking liner 1 per cell	5.6 to 6.2	0.80	72	74	22	23		50 ppm N in mist	Not Needed		Daconil day of sticking	
Week 2	5.6 to 6.2	.80 to .90	72	74	22	23		50 ppm N in mist	Not Needed		Second app Daconil	
Week 3	5.6 to 6.2	.90 to 1.0	72	74	22	23	Pinch this week	Feed 100 to 150 ppm	Not Needed			Pinch this week
Week 4	5.6 to 6.2	.90 to 1.0	65	68	18	20		feed 100 to 150 ppm	Not Needed	B-9 IF Needed		B-9 3750 ppm if needed
Week 5 Transplant 1 per pot	5.6 to 6.2	.90 to 1.0	65	68	18	20		feed 100 to 150 ppm	Not Needed	B-9 IF Needed		
Week 6 to 12	5.6 to 6.2	.90 to 1.0	65	68	18	20		feed 100 to 150 ppm	Not Needed	B-9 IF Needed		

Little to No PGR needed

Doublets are Day Neutral