



## Coleus PARTY TIME

(Quarts)

	pH	Ec	Min Temp F	Max Temp F	Min TEMP C	Max TEMP C	Pinch	Feed	Light	PGR	Fungicide	Comments
<b>Rooting</b>												
<b>Week 1 sticking liner 1 per cell</b>	5.8 to 6.2	0.80	72	74	22	23		50 ppm N in mist		B-9 2500 PPM	Daconil day of sticking	B-9 Day after sticking
<b>Week 2</b>	5.8 to 6.2	.80 to .90	72	74	22	23		50 ppm N in mist			Second app Daconil	
<b>Week 3</b>	5.8 to 6.2	.80 to .90	68	72	20	22		Feed 65 to 80 ppm N		B-9 3750 PPM		B-9 needed
<b>Week 4</b>	5.8 to 6.2	1.0 to 1.2	68	72	20	22		Feed 100 to 200 ppm N		B-9 3750 PPM		
<b>Week 5 Transplant 1 per Quart or</b>	5.8 to 6.2	1.0 to 1.2	68	72	20	22		Feed 100 to 200 ppm N		B-9 3750 PPM		
<b>Week 6 to 10</b>	5.8 to 6.2	1.0 to 1.2	68	72	20	22		Feed 100 to 200 ppm N		B-9 3750 PPM		

Us B9 as needed to control. Bonzi Drench of 1 ppm can be used to hold once to Size