



**Diascia GENTA**

Habit  
 Recommended pot  
 Flower Size / Type  
 Heat Tolarence  
 Exposer

Mounding  
 Quart to Gallons  
 Medium  
 Good  
 Sun to Partial Shade

	pH	Ec	Min Temp F	Max Temp F	Min TEMP C	Max TEMP C	Pinch	Feed	Light	PGR	Fungicide	Comments
<b>Rooting</b>												
Week 1 sticking liner 1 per c	5.8 to 6.2	0.80	72	74	22	23		50 ppm N in mist	Not Needed		Daconil day of sticking	
Week 2	5.8 to 6.2	.80 to .90	72	74	22	23		50 ppm N in mist	Not Needed		Second app Daconil	
Week 3	5.8 to 6.2	.90 to 1.2	72	74	22	23	Pinch this week	Feed 100 to 150 ppm	Not Needed			Pinch this week
Week 4	5.8 to 6.2	.90 to 1.2	65	68	18	20		feed 100 to 150 ppm	Not Needed	B-9 IF Needed		B-9 3750 ppm if needed
Week 5 Transplant 1 per pot	5.8 to 6.2	.90 to 1.2	65	68	18	20		feed 100 to 150 ppm	Not Needed	B-9 IF Needed		
Week 6 to 12	5.8 to 6.2	.90 to 1.2	65	68	18	20		feed 100 to 150 ppm	Not Needed	B-9 IF Needed		

Do Not use Bonsi