



Helianthus- Sunbelievable™

Pot Size	Gallon or Larger
Habit	Mounding
Heat Tolerance	Good
Flower Type	Daisy
Exposer	Sun

Rooting	pH	Ec	Temp °F		Temp °C		Pinch	Feed	Light	PGR	Fungicide	Comments
			Min	Max	Min	Max						
Week 1 sticking liner 1 per cell	5.6 to 6.2	0.80	72	74	21	23			Not Needed		Daconil day of sticking	
Week 2	5.6 to 6.2	0.80 to 0.90	72	74	21	23			Not Needed		Second app Daconil	
Week 3	5.6 to 6.2	0.90 to 1.00	72	74	21	23	Pinch this week		Not Needed			Pinch this week
Week 4	5.6 to 6.2	0.90 to 1.00	65	68	18	20		Feed 100 to 150 ppm	Not Needed	B-9 IF Needed		B-9 3750 ppm if needed
Week 5	5.6 to 6.2	0.90 to 1.00	65	68	18	20		Feed 100 to 150 ppm	Not Needed	B-9 IF Needed		
Week 6 pinch and Transplant	5.6 to 6.2	0.90 to 1.20	65	68	18	20	Second Pinch	Feed 100 to 150 ppm	Flowers in Long days	B-9 IF Needed		Second Pinch
Week 6 to 13	5.6 to 6.2	0.90 to 1.20	65	68	18	20		Feed as needed				

* B-9 (ALAR) can be used at 3750 ppm

* Bonzi Drench at 2ppm can be effective

* Can be grown colder. More time must be added

* Second pinch is necessary to make a well branched plant