



Osteospermum OSTICA

	pH	Ec	Min Temp F	Max Temp F	Min TEMP C	Max TEMP C	Pinch	Feed	Light	PGR	Fungicide	Comments
Rooting												
Week 1 sticking liner 1 per cell	5.8 to 6.2	0.80	72	74	22	23		50 ppm N in mist		B-9 3750 PPM	Daconil day of sticking	B-9 Day after sticking
Week 2	5.8 to 6.2	.80 to .90	72	74	22	23		50 ppm N in mist			Second app Daconil	
Week 3	5.8 to 6.2	.80 to .90	68	72	20	22		Feed 65 to 80 ppm N		B-9 Arest		B-9 Arest Tank Mix 3770 B-9 / 10 ppm Arest
Week 4	5.8 to 6.2	1.0 to 1.2	65	68	18	20		Feed 100 to 200 ppm N				B-9 Arest Tank Mix 3770 B-9 / 10 ppm Arest
Week 5 Transplant 1 per pot	5.8 to 6.2	1.0 to 1.2	58	65	14	18		Feed 100 to 200 ppm N				B-9 Arest Tank Mix 3770 B-9 / 10 ppm Arest
Week 6 to 14	5.8 to 6.2	1.0 to 1.2	58	65	14	18		Feed 100 to 200 ppm N				B-9 Arest Tank Mix 3770 B-9 / 10 ppm Arest

Combination of B-9 Arest can be sprayed frequently to Stack the nodes and improve branching