



Salvia SALLYFUN (12CM)

	pH	Ec	Min Temp F	Max Temp F	Min TEMP C	Max TEMP C	Pinch	Feed	Light	PGR	Fungicide	Comments
Rooting												
Week 1 sticking liner 1 per cell	5.8 to 6.2	0.80	72	74	22	23		50 ppm N in mist		B-9 2500 ppm	Daconil day of sticking	Spray B-9 day after stick
Week 2	5.8 to 6.2	.80 to .90	72	74	22	23		50 ppm N in mist	Not Needed		Second app Daconil	B-9 / Arest tank mix if needed B-9 2500ppm / Arest 10 ppm Cut in Half if less needed
Week 3	5.8 to 6.2	.90 to 1.0	72	74	22	23	Pinch this week	Feed 100 to 150 ppm	Not Needed			Pinch this week
Week 4	5.8 to 6.2	.90 to 1.0	65	68	18	20		feed 100 to 150 ppm	Not Needed	B-9 IF Needed		
Week 5 Transplant 1 per pot	5.8 to 6.2	.90 to 1.0	65	68	18	20		feed 100 to 150 ppm	Not Needed	B-9 IF Needed		
Week 6 to 13	5.8 to 6.2	.90 to 1.0	65	68	18	20		feed 100 to 150 ppm	Not Needed	Bonzi 2 ppm Wk 2 after Transplant	Spray Daconil or Spectro after Transplant	

Responds well to Bonzi Drench 2ppm wk 2 after transplant. Raise if needed.