



Nepeta faassenii

	pH	Ec	Min Temp F	Max Temp F	Min Temp C	Max Temp C	Pinch	Feed	Light	PGR	Fungicide	Comments
Rooting												
Week 1 sticking liner 1 per cell	5.8 to 6.0	0.80	72	74	22	23		50 ppm N in mist	Day Neutral		Daconil day of sticking	
Week 2	5.8 to 6.0	.80 to .90	72	74	22	23		50 ppm N in mist	Day Neutral		Second app Daconil	
Week 3	5.8 to 6.0	.80 to .90	68	72	20	22	Pinch	Feed 65 to 80 ppm N	Day Neutral		B-9 as needed	Pinching is important to get size
Week 4	5.8 to 6.0	1.0 to 1.2	65	68	18	20		Feed 100 to 150 ppm N	Day Neutral			
Week 5 Transplant 1 per pot	5.8 to 6.0	1.0 to 1.2	65	68	18	20		Feed 100 to 150 ppm N	Day Neutral			
Week 6 to 15	5.8 to 6.0	1.0 to 1.2	65	68	18	20		Feed 100 to 150 ppm N	Day Neutral		Bonzi Drench when to size 2 ppm	