

ALONIA™

Angelonia angustifolia



Brand
NEW 21



ALONIA™ Dark Lavender

- Early flowering
- Good heat tolerance
- Can be grown in small pots but continues to gain size in the garden
- Mature height and width is 14 inches x 12 inches (36cm x 30cm) for Alonia and 16 inches x 14 inches (41cm x 36cm) for Alonia Big

PROPAGATION TIPS:

- Stick on priority
- **NA:** Spray Daconil the day of sticking
- **EU&ROW:** Apply a preventative spray for Botrytis
- Mist to keep turgid and keep soil temp at 72-74F (23C) until roots form then lower to 68F (20C)
- Remove from mist as soon as possible
- Do not pinch
- **NA:** B-9 or B-9/Arest tank mix can be effective to control unwanted growth. **EU& ROW:** Daminozide spray can be effective to control unwanted growth.

FINISHING TIPS:

- Day of transplanting: **NA:** Spray Daconil and water in thoroughly to activate starter charge in soil. **EU&ROW:** Apply a preventative spray for Botrytis
- Feed at 100 to 150 ppm N as needed
- Paclobutrazol drench at 2 ppm can be effective to control unwanted growth

Container Size Schedule @ADT of 68°F (20°C)	Total weeks from stick to finish
Quart 12-15 cm pot	12 weeks
Gallon 15-18 cm pot	12 weeks
8" / 20cm at 1 ppp	12 weeks
10" / 25cm at 3 ppp	12 weeks

More varieties in the ALONIA™ series:



ALONIA™ Violet



ALONIA™ Bicolor Violet



ALONIA™ Pink Flirt



ALONIA™ Snowball

Sub series BIG with a larger habit:



ALONIA™ Big Blue



ALONIA™ Big Snow



ALONIA™ BIG Bicolor Pink



ALONIA™ BIG Bicolor Purple



ALONIA™ Big Dark Pink



ALONIA™ Big Indigo

For additional technical growing information:

ALONIA™ [CLICK HERE](#)





Angelonia Alonia

Recommended pot

Quart to Gallons

Flower Size / Type

Medium to Large

Heat Tolerance

Good

Exposer

Sun to Partial Shade

	pH	Ec	Min Temp F	Max Temp F	Min TEMP C	Max TEMP C	Pinch	Feed	Light	PGR	Fungicide	Comments
Rooting												
Week 1 sticking liner 1 per cell	5.8 to 6.2	0.80	72	74	22	23		50 ppm N in mist	Not Needed		Daconil day of sticking	
Week 2	5.8 to 6.2	.80 to .90	72	74	22	23		50 ppm N in mist	Not Needed		Second app Daconil	
Week 3	5.8 to 6.2	.90 to 1.2	72	74	22	23	Pinch this week	Feed 100 to 150 ppm	Not Needed			Pinch this week
Week 4	5.8 to 6.2	.90 to 1.2	65	68	18	20		feed 100 to 150 ppm	Not Needed	B-9 IF Needed		B-9 3750 ppm if needed
Week 5 Transplant 1 per pot	5.8 to 6.2	.90 to 1.2	65	68	18	20		feed 100 to 150 ppm	Not Needed	B-9 IF Needed		
Week 6 to 12	5.8 to 6.2	.90 to 1.2	65	68	18	20		feed 100 to 150 ppm	Not Needed	B-9 IF Needed		

Bonzi Can be used as a drench