

LIA™

Calibrachoa hybrida



Brand NEW 22



LIA™ Abstract Pink

- Selected for basket production
- Blooms early enough for any market
- Tested for pH sensitivity
- Mature height and width 12 inches x 14 inches (30cm x 36cm)

PROPAGATION TIPS:

- Stick on priority
- **NA:** Spray Daconil the day of sticking
- **EU&ROW:** Apply a preventative spray for Botrytis
- Mist to keep turgid and keep soil temp at 72-74F (23C) until roots form then lower to 68F (20C)
- Remove from mist as soon as possible
- **NA:** B-9 or B-9/Arest tank mix can be effective to control unwanted growth. **EU&ROW:** Daminozide spray can be effective to control unwanted growth.

FINISHING TIPS:

- Day of transplanting: **NA:** Spray Daconil and water in thoroughly to activate starter charge in soil. **EU&ROW:** Apply a preventative spray for Botrytis
- Feed at 100 to 150 ppm N as needed
- Paclobutrazol drench at 2 ppm can be effective to control unwanted growth

Container Size Schedule @ADT of 68°F (20°C)	Total weeks from stick to finish
Quart 12-15 cm pot	12 weeks
Gallon 15-18 cm pot	12 weeks
8" / 20 cm at 1 ppp	12 weeks
10" / 25 cm at 3 ppp	12 weeks

Other top selling varieties in the LIA™ series:



LIA™ Cranberry



LIA™ Dark Red



LIA™ Glaze



LIA™ Bubblegum



LIA™ Yellow



LIA™ Melon



LIA™ Blue

For additional technical growing information:

LIA™ [CLICK HERE](#)





Lia™ - NA

Recommended Pot	Baskets
Habit	Mounding
Heat Tolerance	Good
Flower Size / Type	Large
Exposer	Sun to Partial Shade

Rooting	pH	Ec	Temp °F		Temp °C		Pinch	Feed	Light	PGR	Fungicide	Comments
			Min	Max	Min	Max						
Week 1 sticking liner 1 per cell	5.6 to 6.2	0.80	72	74	21	23			Not Needed		Daconil day of sticking	
Week 2	5.6 to 6.2	0.80 to 0.90	72	74	21	23			Not Needed		Second app Daconil	
Week 3	5.6 to 6.2	0.90 to 1.00	72	74	21	23	Pinch this week		Not Needed			Pinch this week
Week 4	5.6 to 6.2	0.90 to 1.00	65	68	18	20		Feed 100 to 150 ppm	Not Needed	B-9 IF Needed		B-9 3750 ppm if needed
Week 5 Transplant 3 per pot	5.6 to 6.2	1.00 to 1.20	65	68	18	20		Feed 100 to 150 ppm	Not Needed	B-9 IF Needed		
Week 6 to 12	5.6 to 6.2	0.90 to 1.00	65	68	18	20		Feed 100 to 150 ppm	Not Needed	B-9 IF Needed		

* Bonzi Drench at 2ppm can be effective



Lia™ - EU

Recommended Pot	12cm
Habit	Mounding
Heat Tolerance	Good
Flower Size / Type	Large
Exposer	Sun to Partial Shade

Rooting	pH	Ec	Temp °F		Temp °C		Pinch	Feed	Light	PGR	Fungicide	Comments
			Min	Max	Min	Max						
Week 1 sticking liner 1 per cell	5.6 to 6.2	0.80	72	74	21	23			Not Needed		Daconil day of sticking	
Week 2	5.6 to 6.2	0.80 to 0.90	72	74	21	23			Not Needed		Second app Daconil	
Week 3	5.6 to 6.2	0.90 to 1.00	72	74	21	23	Pinch this week		Not Needed			Pinch this week
Week 4	5.6 to 6.2	0.90 to 1.00	65	68	18	20		Feed 100 to 150 ppm	Not Needed	Alar IF Needed		B-9 3750 ppm if needed
Week 5 Transplant 3 per pot	5.6 to 6.2	0.90 to 1.00	65	68	18	20		Feed 100 to 150 ppm	Not Needed	Alar IF Needed		
Week 6 to 12	5.6 to 6.2	0.90 to 1.00	65	68	18	20		Feed 100 to 150 ppm	Not Needed	Alar IF Needed		

* Bonzi Drench at 2ppm can be effective