

OSTICA™

Osteospermum ecklonis



Ostica™ Glamour

- Early flowering time
- Controlled habit
- Can be grown in warm greenhouse with no cooling
- Mature height and width is 10 inches x 10 inches (25cm x 25cm)

PROPAGATION TIPS:


- Stick on priority
- **NA:** Spray Daconil the day of sticking
EU&ROW: Apply a preventative spray for Botrytis
- Mist to keep turgid and keep soil temp at 72-74F (23C) until roots form then lower to 68F (20C)
- Remove from mist as soon as possible
- Do not pinch
- **NA:** B-9 or B-9/Arest tank mix can be effective to control unwanted growth. **EU&ROW:** Daminozide spray can be effective to control unwanted growth.

FINISHING TIPS:

- Day of transplanting: **NA:** Spray Daconil and water in thoroughly to activate starter charge in soil.
EU&ROW: Apply a preventative spray for Botrytis
- Feed at 100 to 150 ppm N as needed
- Paclobutrazol drench at 2 ppm can be effective to control unwanted growth

Container Size Schedule @ADT of 68°F (20°C)	Total weeks from stick to finish
Gallon 15-18 cm pot	13 weeks
8" / 20 cm at 1 ppp	14 weeks
10" / 25 cm at 3 ppp	14 weeks

Other top selling varieties in the OSTICA™ series:



Ostica™ Glamour




Ostica™ Amethyst



Ostica™ Bronze



Ostica™ Mega Pink



Ostica™ Midnight

For additional technical growing information:

[OSTICA™ CLICK HERE](#)





Osteospermum OSTICA

	pH	Ec	Min Temp F	Max Temp F	Min TEMP C	Max TEMP C	Pinch	Feed	Light	PGR	Fungicide	Comments
Rooting												
Week 1 sticking liner 1 per cell	5.8 to 6.2	0.80	72	74	22	23		50 ppm N in mist		B-9 3750 PPM	Daconil day of sticking	B-9 Day after sticking
Week 2	5.8 to 6.2	.80 to .90	72	74	22	23		50 ppm N in mist			Second app Daconil	
Week 3	5.8 to 6.2	.80 to .90	68	72	20	22		Feed 65 to 80 ppm N		B-9 Arest		B-9 Arest Tank Mix 3770 B-9 / 10 ppm Arest
Week 4	5.8 to 6.2	1.0 to 1.2	65	68	18	20		Feed 100 to 200 ppm N				B-9 Arest Tank Mix 3770 B-9 / 10 ppm Arest
Week 5 Transplant 1 per pot	5.8 to 6.2	1.0 to 1.2	58	65	14	18		Feed 100 to 200 ppm N				B-9 Arest Tank Mix 3770 B-9 / 10 ppm Arest
Week 6 to 14	5.8 to 6.2	1.0 to 1.2	58	65	14	18		Feed 100 to 200 ppm N				B-9 Arest Tank Mix 3770 B-9 / 10 ppm Arest

Combination of B-9 Arest can be sprayed frequently to Stack the nodes and improve branching