



**Impatiens New Guinea
SUNPATIENS**

Habit	Mounding
Recommended Container	6 inch/12 cm Pots or Baskets
Flower timing	Early
Stick to Flower timing	12 to 14 weeks

Rooting	pH	Ec	Min Temp F	Max Temp F	Min TEMP C	Max TEMP C	Pinch	Feed	Light	PGR	Fungicide	Comments
Week 1 sticking liner	5.8 to 6.0	0.80	72	74	22	23			None Needed		Daconil day of sticking	
Week 2	5.8 to 6.0	.80 to .90	72	74	22	23			None Needed		Second app Daconil	
Week 3	5.8 to 6.0	0.90	68	72	20	22	No Pinch		None Needed	Bonzi Drench .25 ppm if needed		
Week 4	5.8 to 6.0	0.90	68	72	20	22		feed 100 to 150 ppm	None Needed	Bonzi Drench .25 ppm if needed		
Week 5 Transplant 1 per pot	5.8 to 6.0	0.90	68	72	20	22		feed 100 to 150 ppm	None Needed	Bonzi Drench .25 ppm if needed		
Week 6 to 12	5.8 to 6.0	0.90	68	72	20	22		feed 100 to 150 ppm	None Needed	Bonzi Drench .25 ppm if needed		

Keep Ec low for Best results