

Nemesia NESIA

		-					D: 1			202		a 1
	pН	Ec	Min Temp F	Max Temp F	MIN TEMP C	Max TEMP C	Pinch	Feed	Light	PGR	Fungicide	Comments
Rooting												
									Supplime			Feed in mist can
									ntal 12	B-9 3750	Daconil	help. B-9 at sticking
	5.8 /							50 ppm N	hrs more	ppm day	day of	can help avoid
Week 1 sticking liner	6.0	0.80	72	74	22	23		in mist	ok	after stick	sticking	Stretch in prop
	5.8 to	.80						50 ppm N	Supplime	B-9 3750 /	Second	B-9 Arest needed to
Week 2	6.0	to	72	74	22	23		in mist	ntal 12	Arest 10	арр	keep from stratching.
										B-9 3750 /		
									Supplime	Arest 10		
		.90						Feed 100	ntal 12	ppm tank		
	5.8 to	to	Cool to 68		Cool to 20		this	to 150	hrs more	mix as	Drench	B-9 arest if needed,
Week 3	6.0	1.0	f if rooted	68	C if rooted	20	week	ppm	ok	needed	Banrot	Pinch this week
										B-9 3750 /		
									0			
									Supplime	Arest 10		
		1.0						feed 100	ntal 12	ppm tank		
	5.8 to	to						to 150	hrs more	mix as		
Week 4	6.0	1.2	65	68	18	20		ppm	ok	needed		
										B-9 3750 /		
									Supplime	Arest 10		
		1.0						feed 100	ntal 12	ppm tank		
	5.8 to	to						to 150	hrs more	mix as		
Week 5 Transplant	6.0	1.2	65	68	18	20		ppm	ok	needed		
	0.0	1.4	05	00	10	20		РЫШ		neeueu		
									Supplime			
		1.0						feed 100	ntal 12			
	5.8 to	to						to 150	hrs more			Bonzi Drench at 2
Week 6 to 12 / 14	6.0	1.2	65	68	18	20		ppm	ok			ppm once to size
	0.0										1	PP