

Osteospermum OSTICADE (Best in Basket)

,	pН	Ec	Min Temp F	Max Temp F	Min TEMP C	Max TEMP C	Pinch	Feed	Light	PGR	Fungicide	Comments
Rooting												
											Daconil	
								50 ppm		B-9 3750	day of	B-9 Day after
Week 1 sticking liner 1 per cell	5.8 to 6.2	0.80	72	74	22	23		N in mist		PPM	sticking	sticking
											Second	
								50 ppm			арр	
	5.8 to 6.2	.80 to .90	72	74	22	23		N in mist			Daconil	
								Feed 65				B-9 Arest Tank Mix
								to 80				3770 B-9 / 10 ppm
Week 3	5.8 to 6.2	.80 to .90	68	72	20	22		ppm N		B-9 Arest		Arest
								Feed 100				B-9 Arest Tank Mix
								to 200				3770 B-9 / 10 ppm
Week 4	5.8 to 6.2	1.0 to 1.2	65	68	18	20		ppm N				Arest
Week 4	3.0 10 0.2	1.0 to 1.2	- 03	- 00		20		ррши				Alest
								Feed 100				B-9 Arest Tank Mix
								to 200				3770 B-9 / 10 ppm
Week 5 Transplant 3 per 10 to 12	5.8 to 6.2	1.0 to 1.2	58	65	14	18		ppm N				Arest
								Feed 100				B-9 Arest Tank Mix
								to 200				3770 B-9 / 10 ppm
Week 6 to 14	5.8 to 6.2	1.0 to 1.2	58	65	14	18		ppm N				Arest

Combination of B-9 Arest can be sprayed frequently to Stack the nodes and improve branching