

Sedum spurium

•	рН	Ec	Min Temp F	Max Temp F	Min Temp C
Rooting					
Week 1 sticking liner 1 per cell	5.8 to 6.0	0.80	72	74	22
Trock reasoning mior reported:	0.0 10 0.0	0.00			
Week 2	5.8 to 6.0	.80 to .90	72	74	22
I I I I I I I I I I I I I I I I I I I	0.0 00 0.0				
Week 3	5.8 to 6.0	.80 to .90	68	72	20

Week 4	5.8 to 6.0	1.0 to 1.2	65	68	18
Week 5 Transplant 1 per pot	5.8 to 6.0	1.0 to 1.2	65	68	18
Week 6 to 12	5.8 to 6.0	1.0 to 1.2	65	68	18

Max Temp C	Pinch	Feed	Light	PGR	Fungicide	Comments
23		50 ppm N in mist	Day Neutral		Daconil day of sticking	
23		50 ppm N in mist	Day Neutral		Second app Daconil	
			_			Pinching
		Feed 65 to	Day			is
22	Pinch	80 ppm N	Neutral			important
						to get size

20	Feed 100 to 150 ppm N	Day Neutral		
20	Feed 100 to 150 ppm N	Day Neutral		
20	Feed 100 to 150 ppm N	Day Neutral		