Growing Hypericum

.....

Imagine more





Planting

4 rows of planting, 12.5-16.5 cm. spacing between plants, 24-32 per square meter.

Pinching





• Pinch at about 5-7 cm. high, leaving 3-5 pairs of leaves.

The picture demonstrates the first pruning in growing "singles" (without pinch).
Pinch is performed in a similar manner.

Pinching





Pinching in mother plants, for example, is carried out above 2 pairs of leaves
In a commercial area pinch above 3-5 pairs of leaves, as recommended

The vegetative stage- Short day

This stage is intended to allow the stems to reach the desired length Short day prevents induction to flower early. Hence, it is recommended to plant either in summer or autumn when day is relatively short

Switching to long-day treatment

Begin when plants are 30-40 cm tall

The generative stage- Long day

In summer daylight is prolonged to 18 hours In winter lighting is applied all night

The Flower & The Berry



Harvest

Harvest is carried out when about 80% of the berries on the branch are ripe and almost all the flowers have dropped

Harvest

Harvest is carried out during the morning hours when it is not too hot

The harvested branches are immediately placed in buckets with solution

Sorting & Packing



Sorting & Packing





Sorting by length, 70-80 cm. Remove all leaves from 1/3 of the lower part of the branch.



Pruning

All shoots are pruned to 10-15 cm. above ground level

After Pruning







Things that you need to be careful about ...





Rust in Foliage


Beginning...

Advanced stage ...

Nematodes galls in roots

UGA1234195








Danziger Varieties







Imagine more

