


VANESSA™ COMPACT

Verbena x hortensis



BRAND NEW 23



- Tested for mildew tolerance and cycling of color
- This sub series of high performing Vanessa has a naturally controlled habit
- Little to no PGR needed
- Mature height and width is 8 inches x 12 inches (25cm X 30cm)

VANESSA™ COMPACT Bordeaux

More varieties in the VANESSA™ COMPACT series:



VANESSA™ COMPACT Rosa



VANESSA™ COMPACT Bicolor Purple



VANESSA™ COMPACT Bicolor Rose



VANESSA™ COMPACT Deep Pink



VANESSA™ COMPACT Lavender



VANESSA™ COMPACT Lime



VANESSA™ COMPACT Neon Pink



VANESSA™ COMPACT Optik Lavender



VANESSA™ COMPACT Pink



VANESSA™ COMPACT Red



VANESSA™ COMPACT Violet



VANESSA™ COMPACT White

For additional technical growing information:

VANESSA™ COMPACT [CLICK HERE](#)



VANESSA™ COMPACT

Verbena x hortensis



PROPAGATION TIPS

- Stick on priority – Number 3 out of 4 categories



Flowering time

Spring / Summer
Flowering



Width

(10 - 14")
25 - 36 cm



Height

(6 - 10")
15- 20 cm

Average Time	Temperature	Hormone	Fertilization	Fungicide
4 weeks	Weeks 1 - 2 70°-72° F (21°-22° C)	Not required	Weeks 1-2 50 ppm N	Spray fungicide to control Botrytis and bacteria day of sticking
	Weeks 3 - 4 65°-70° F (18°-21° C)		Weeks 3-4 100 to 150 ppm N	Day of sticking & Week 2



Irrigation specification – Reduce mist as soon as possible



Spray adjuvant at sticking . Daminozide at 2000 ppm the day after sticking
No pinch is necessary for producing an excellent liner

Rooting	pH	EC	Temp	Feed	Light	PGR	Fungicide	Comments
Week 1	5.8 / 6.2	0.80	72°-74° F (22°-23° C)	50 ppm N in mist	Neutral	Daminozide day after sticking	Day of sticking	Feeding through Mist
Week 2	5.8 to 6.2	.80 to .90	72°-74° F (22°-23° C)	50 ppm N in mist			Second fungicide app	
Week 3	5.8 to 6.2	.90 to 1.0	Cool to 68°-70° F (20°-21° C)	Feed 100 ppm to 150 ppm				
Week 4	5.8 to 6.2	1.0 to 1.2	65°-68° F (18°-20° C)	feed 100 to 150 ppm		Daminozide as required		

For additional technical growing information:

VANESSA™ COMPACT [CLICK HERE](#)



VANESSA™ COMPACT

Verbena x hortensis



FINISHING TIPS

- Verbena respond well to Negative DIF to control height
- Verbena Vanessa™ will flower easily for early season requirements

Average Time (from liners)	Temperature	Pinch/ Daylength Modification	Fertilization	Plant Growth Regulator
5 to 6 wks (12 cm) 5" pot	Average Day 60°-68° F (16°-20° C)	No pinch is necessary	150 - 200 ppm N	Daminozide @ 2500 ppm for finishing
6 to 7 wks (15 cm) 6 ½"		Day Neutral	Soil EC 1.0 - 1.5 pH 5.8 to 6.2	Paclobutrazol @ 1 to 2 ppm drench to finish
7 to 8 wks (20 cm) 8"	3 plants per container			
7 to 8 wks (25 cm) 10"	3 plants per container			

Pests	Aphids	ACETAMIPRID, FLONICAMID, IMIDACLOPRID, DICHLORVOS
	Thrips	METHIOCARB, ACRINATHRIN, ABAMECTIN, DICHLORVOS, SPINOSAD
Diseases	Botrytis	CYPRODINIL+FLUDIOXONIL, IPRODIONE, POLYOXIN
	Pythium	PROPAMOCARB
	Phytophthora	PROPAMOCARB



- PGR - Spray Daminozide for height control / Paclobutrazol drench for finishing
- Scout for Aphids, Leafminers, Thrips and Whiteflies

Finishing	pH	EC	Temp	Feed	Light	PGR	Fungicide	Comments
Week 4 Transplant	5.8 to 6.2	1.0 to 1.2	60°-68° F (16°-20° C)	feed 100 to 150 ppm		Daminozide @ 2500 ppm as needed	Drench fungicide after transplant	
Week 5 to 12	5.8 to 6.2	1.2 to 1.5	60°-68° F (16°-20° C)	feed 100 to 150 ppm		Paclobutrazol @ 1 to 2 ppm drench		Paclobutrazol drench when plants reach 85% of desired size

For additional technical growing information:

VANESSA™ COMPACT [CLICK HERE](#)

