# DIWALI SHOWER™

Euphorbia hypericifolia







**DIWALI SHOWER™** 

- Mounded habit is perfectly suited as component plant in combination planters for hanging baskets and patio pots
- Tolerant of warm and dry conditions
- Mature height and width is 8 inches x 14 inches (20cm x 36cm)



## DIWALI SHOWER™

Euphorbia hypericifolia



#### **PROPAGATION TIPS**

• Stick on priority - Number 3 out of 4 categories







Flowering time

Width (12 - 14")

Height

Spring / Summer (12 - 14") (8 - 10") Flowering 30 - 36 cm 20 - 25 cm

Average Time	Temperature	Hormone	Fertilization	Fungicide	
5 weeks	Weeks 1 - 2 70°-72° F (21° - 22°C)	Recommended		Spray fungicide to control Botrytis and bacteria day of sticking	
	Weeks 3 - 5 65° - 68° (18° - 20° C)		Weeks 3-5 100 to 150 ppm N	Spray fungicide to control Botrytis and bacteria Week 2	



Irrigation specification – Spray adjuvant after sticking.



- Application of hormone as dip or K-IBA spray can hasten rooting
- Pinch is not recommended / very sensitive to ethephon applications
- · Maintain moderate damp soil during rooting

Rooting	рН	EC	Temp	Feed	Light	PGR	Fungicide	Comments
Week 1	5.6 / 6.2	0.80	72 / 74 F (22 / 23 C)	50 ppm N in mist			Day of sticking	Feeding through Mist
Week 2	5.8 to 6.2	.80 to .90	72 / 74 F (22 / 23 C)	50 ppm N in mist			Second fungicide app	
Week 3	5.8 to 6.2	.90 to 1.0	Cool to 68 / 70 F (20 / 21 C)	Feed 100 ppm to 150 ppm				
Week 4	5.8 to 6.2	1.0 to 1.2	65 to 68 F (18 to 20 C)	Feed 100 ppm to 150 ppm				
Week 5	5.8 to 6.2	1.0 to 1.2	65 to 68 F (18 to 20 C)	Feed 100 ppm to 150 ppm		Daminozide as needed		





## DIWALI SHOWER™

Euphorbia hypericifolia



### **FINISHING TIPS**

- Pinch is not recommended
- Over wet soil in low light conditions can develop root disease issues allow soil to dry between irrigations

Average Time (from liners)	Temperature	Pinch/ Daylength Modification	Fertilization	Plant Growth Regulator
6 to 7 wks	Average Day	Pinch not	150, 200 nnm N	
(12 cm) 5" pot	60° - 68° (16° - 20° C)	recommended	150 - 200 ppm N	
7 to 8 wks		No lighting	Soil EC 1.0 - 1.2	
(15 cm) 6 ½"	60° - 68° (16° - 20° C)	necessary	pH 5.8 to 6.2	
7 to 8 wks				
(20 cm) 8"	3 plants per container			
7 to 8 wks				
(25 cm) 10"	3 plants per container			

Docto	Aphids	ACETAMIPRID, FLONICAMID, IMIDACLOPRID, DICHLORVOS
Pests	Thrips	METHIOCARB, ACRINATHRIN, ABAMECTIN, DICHLORVOS, SPINOSAD
	Botrytis	CYPRODINIL+FLUDIOXONIL, IPRODIONE, POLYOXIN
Diseases	Pythium	PROPAMOCARB
	Phytophthora	PROPAMOCARB



- Consistent soil moisture levels are best allow soil to dry slightly between irrigations
- Scout for Aphids, Thrips and Whiteflies

Finishing	рН	EC	Temp	Feed	Light	PGR	Fungicide	Comments
Week 6 Transplant	5.8 to 6.2	1.0 to 1.2	65 to 68 F (18 to 20 C)	feed 100 to 150 ppm		Daminozide as needed	Spray fungicide after transplant	
Week 6 to 13	5.8 to 6.2	1.0 to 1.2	60 to 68 F (18 to 20 C)	feed 100 to 150 ppm	Not Required	Paclobutrazol Drench at 1 to 2 ppm		Paclobutrazol 1 to 2 ppm drench when plants reach 85% of desired size





