### **CASCADIAS™**

Petunia hybrida





CASCADIAS™ Lilac Frost





- Available in many unique bloom patterns and colors
- Early flowering with a trailing habit
- · Makes a showy premium basket
- Mature height and width is 14 inches x 18 inches (36cm x 46cm)

### The CASCADIAS™ series:



CASCADIAS™ Fuchsia Gem



CASCADIAS™ Fantasy Hot Pink Imp.



CASCADIAS™ Rose



CASCADIAS™ Arizona Sky



CASCADIAS™ Rim Cherry Imp.



CASCADIAS™ Fuchsia



CASCADIAS™ Passion



CASCADIAS™ Indigo



CASCADIAS™ Rim Violet Imp



CASCADIAS™ Chili Red



CASCADIAS™ Red



CASCADIAS™ Blue Omri



CASCADIAS™ Purple Ice



CASCADIAS™ Hint of Lime



CASCADIAS™ Iceberg

For additional technical growing information:







# **CASCADIAS™**

Petunia hybrida



#### **PROPAGATION TIPS**

• Stick on priority – Number 2 out of 4 categories







Stick on priority – Number 2 out of 4 categories

Flowering time

Width

Height

Spring / Summer Flowering (14 - 18") 36 - 46 cm (12 - 14") 30 - 36 cm

Average Time	Temperature	Hormone	Fertilization	Fungicide	
4 weeks	Weeks 1 - 2 70°-72° F (21° - 22°C)	No	Weeks 1-2 50 ppm N	Spray fungicide to control Botrytis and bacteria day of sticking	
	Weeks 3 - 5 65° - 68° (18° - 20° C)		Weeks 3-5 100 to 150 ppm N	Day of sticking & Week 2	



Irrigation specification – Reduce mist as soon as possible



The series is well branched so pinching is not need for a quality finish. Daminozide at 1500 ppm the day after sticking. Week 4 – Daminozide @ 2500 ppm mix if plants are aggressively growing.

Rooting	рН	EC	Temp	Feed	Light	PGR	Fungicide	Comments
Week 1	5.6 / 6.0	0.80	72 / 74 F (22 / 23 C)	50 ppm N in mist	Additional lighting is optional depending on region	Daminozide day after sticking	Day of sticking	
Week 2	5.6 to 6.0	.80 to .90	72 / 74 F (22 / 23 C)	50 ppm N in mist			Second fungicide app	
Week 3	5.6 to 6.0	.90 to 1.0	Cool to 68 F (20 C)	Feed 100 ppm to 150 ppm				
Week 4	5.6 to 6.0	1.0 to 1.2	65 to 68 F (18 to 20 C)	feed 100 to 150 ppm		Daminozide spray at 2500 ppm if required		

For additional technical growing information:





# **CASCADIAS™**

Petunia hybrida



#### **FINISHING TIPS**

- · Maintain lower pH levels for optimal Iron (Fe) and Manganese (Mn) availability to plants
- · Cool temperature is best for high quality finishing

Average Time (from liners)	Temperature	Pinch/ Daylength Modification	Fertilization	Plant Growth Regulator	
6 to 7 wks	Average Day	No pinch	150 200 nnm N		
(12 cm) 5" pot	68° to 72°F (20° to 22°C)	necessary	150 - 200 ppm N		
8 to 9 wks				finish stage -	
(15 cm) 6 ½"		Additional lighting is optional depending on region	Soil EC 1.2 - 1.5 pH 5.6 to 6.0	Daminozide @ 2500 ppm	
8 to 10 wks					
(20 cm) 8"	3 plants per container				
8 to 10 wks					
(25 cm) 10"	3 plants per container				

Pests	Aphids	ACETAMIPRID, FLONICAMID, IMIDACLOPRID, DICHLORVOS
Pesis	Thrips	METHIOCARB, ACRINATHRIN, ABAMECTIN, DICHLORVOS, SPINOSAD
	Botrytis	CYPRODINIL+FLUDIOXONIL, IPRODIONE, POLYOXIN
Diseases	Pythium	PROPAMOCARB
	Phytophthora	PROPAMOCARB



- · Additional Iron (Fe) or Manganese (Mn) may be required depending on water quality and alkalinity
- PGR Spray Daminozide at 2,500 to 3,000 ppm and/or Paclobutrazol drench application at 1 to 2 ppm for finishing if required

Finishing	рН	EC	Temp	Feed	Light	PGR	Fungicide	Comments
Week 4 Transplant	5.6 to 6.0	1.0 to 1.2	65 to 68 F (18 to 20 C)	feed 100 to 150 ppm	N/A	Daminozide/ Uniconazole tank mix if required	Spray fungicide after transplant	
Week 5 to 15	5.6 to 6.0	1.2 to 1.5	65 to 68 F (18 to 20 C)	feed 100 to 150 ppm	N/A	Paclobutrazol Drench at 1 to 2 ppm		Paclobutrazol 1 to 2 ppm drench when plants reach 85% of desired size

For additional technical growing information:



