




CORABELLS™

Fuchsia hybrida

- Compact series of Fuchsia
- Early spring flowering ideal for filtered sun locations
- Mature height and width is
- 25 cm x 46 cm (10 x 18 inches)



CORABELLS™ Dark Eyes

Fuchsia hybrida



Stick on priority – Number 4 out of 4 categories

Average Time	Temperature	Hormone	Fertilization	Fungicide
5 weeks	Weeks 1 - 2 21° - 22°C (70°-72° F)	Optional	Weeks 1-2 50 ppm N	Spray fungicide to control Botrytis and bacteria day of sticking
	Weeks 3 - 5 18° - 20° C (65° - 68° F)		Weeks 3-5 100 to 150 ppm N	Day of sticking & Week 2



– **Irrigation specification** – Remove from mist as soon as root emerges



– Spray adjuvant the day of sticking. Spray broad spectrum fungicide to prevent Botrytis day of sticking and week 2

Rooting	pH	EC	Temp	Feed	Light	PGR	Fungicide	Comments
Week 1	5.6 to 6.2	0.80	21° - 22°C (70°-72° F)	50 ppm N in mist			Day of sticking	
Week 2	5.6 to 6.2	.80 to .90	21° - 22°C (70°-72° F)	50 ppm N in mist			Second fungicide app	
Week 3	5.6 to 6.2	.90 to 1.0	Cool to 20° - 21°C (68°-70° F)	Feed 100 ppm N				
Week 4	5.6 to 6.2	.90 to 1.0	18° - 20° C (65° - 68° F)	Feed 100 ppm N				
Week 5	5.6 to 6.2	.90 to 1.0	18° - 20° C (65° - 68° F)	Feed 100 to 150 ppm		Should not be required		

Fuchsia hybrida

- Pinch at transplant
- Well branched and naturally compact plant habit
- Scout for Aphids, Thrips and Whitefly

Average Time (from liners)	Temperature	Pinch/ Daylength Modification	Fertilization	Plant Growth Regulator
7 to 8 wks	Average Day	Pinch required/ possible a second pinch if grown in larger containers	150 - 200 ppm N	Should not be required
15 cm (1 gallon) 1 ppp	(16° to 18°C)			
8 to 10 wks	3 plants per container		Soil EC 0.8 – 1.2 pH 5.8 to 6.5	
28 cm (HB) 3 ppp				



- Maintain good airflow and allow plants to dry between irrigations
- High quality plants are grown with moderate/cool temperatures and high light
- Drench after transplant for Rhizoctonia and Pythium / Phytophthora

Finishing	pH	EC	Temp	Feed	Light	PGR	Fungicide	Comments
Week 6 Transplant	5.8 to 6.2	0.8 to 1.0	18° - 20° C (65° - 68° F)	feed 100 to 150 ppm			Drench fungicide after transplant	Control of Pythium & Phytophthora
Week 6 to 13	5.8 to 6.2	0.8 to 1.2	16° - 18° C (61° - 65° F)	feed 150 to 200 ppm			Spray fungicide in finishing protocols	Control of Bacterial Leaf Blights

Pests	Aphids	ACETAMIPRID, FLONICAMID, IMIDACLOPRID,DICHLORVOS
	Thrips	METHIOCARB,ACRINATHRIN, ABAMECTIN, DICHLORVOS, SPINOSAD
Diseases	Botrytis	CYPRODINIL+FLUDIOXONIL, IPRODIONE, POLYOXIN
	Pythium Phytophthora	PROPAMOCARB / MEFENOXAM
	Rhizoctonia	AZOXYSTRONBIN / ETRIDIAZOLE / FLUDIOXONIL / PCNB